	UPGRADE TO PRO ✓ Step-by-Step Solutions	≡ ×
	With Pro Step By Step Bordations With Pro Get a step ahead with your homewo Go Pro Now	rk
	FROM THE MAKERS OF WOLFRAM LANGUAGE AND MATHEMATICA STATEMENT OF WOLFRAM LANGUAGE AND MATHEMATICA WOLFRAM LANGUAGE AND MATHEMATICA WOLFRAM LANGUAGE AND MATHEMATICA STATEMENT OF WOLFRAM LANGUAGE AND MATHEMATICA WOLFRAM LANGUAGE AND MATHEMATICA STATEMENT OF WOLFFAM LANGUAGE AND MATHEMATICA STATEMENT OF WOLFFAM LANGUAGE AND MATHEMATICA STATEMENT OF WOLFFAM LANGUAG	
	Input $ \frac{21 \pi^e (5 + \log(294 + \pi))^{\pi}}{3 \log(2) - \sqrt{e \times 56 \pi - 17.2}} $	‡
	Result -41605.88970543902810549491890347763734291838508409457812688316. 903504519951021144124698839995232491850133399939391842077417. 46181224805322664118149140698333346226991005614192035940708. 742441758233446701469722136844660531836426344411993132567791. 29237812063033537911018732162053332024782770634538133631. 79690603882632332974786382375510187203045625696779746600195. 83374305574359010205443670742114382204452816534343389631. 20713720669412102451703703520029947022039844784241533833527. 40862298625323541622547651265493624887815667043979228100927. 90288255608124707529357010958851222286080718647548013186156. 72982258067860745178271624900242965461886322245786010848799417373288286610- 64972947296482603069903660418220859563800324170241949832167. 932831846187391465289443365917109450269689109950496472494030. 283138228134253680575607282001495558043490424206595070159038950. 36816985742087696543014311051089444666932070615033450196577. 93831846187391465289443365917109450269689109950496472494030. 2831382281343568059758200414955364349642208564961782840368. 5728552493383247116901253513904433295425208094863487917931403. 956142133099533458061460874057506451313288264607082246576. 60197280648536122790723898053055026972855349944834479828867. 90155707147142672258875605876200715809896080347525216753228. 646750907641257400730755288403458459187948334597352252853459444834479828867. 906541248458042995482839714567023232727083015977404072784. 9115107147142672258879707307552884033453157947393015977404072784. 91151071471426725285776058760079705853499448334793282694656467082246566467082246566641835577822174687222105947042014701488338073169035191978. 94667341848448582699704240450950549815090459322525853165399. 99837188143445852699704040450950549815090459322525853165399. 99837188143246597360463609697278688245581590986917560451756. 9399837188143246959736406309678786882455815909395325580654446695065466641835679799290665673088285357539385066978795096759696559697999999879999979999979999979999979999979999979999	
	15278166373772144453432044288881927997842553381354471913745 45536190219960131660068406 Fewer digits • • • Number line	\$
	-70 000 - 60 000 - 50 000 - 40 000 - 30 000 - 20 000 - 10 000	*
	Number name negative forty—one thousand six hundred five point eight eight nine seven zero five four three nine zero two five	\$
	Alternative representations $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + \log_{e}(294 + \pi)\right)^{\pi}}{3\log_{e}(2) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + \log(a) \log_{a}(294 + \pi)\right)^{\pi}}{3\log(a) \log_{a}(2) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 - \text{Li}_{1}(-293 - \pi)\right)^{\pi}}{-3 \text{Li}_{1}(-1) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + 2 \coth^{-1}\left(\frac{295 + \pi}{293 + \pi}\right)\right)^{\pi}}{6 \coth^{-1}(3) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 - S_{0,1}(-293 - \pi)\right)^{\pi}}{-3 S_{0,1}(-1) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + 2 \tanh^{-1}\left(\frac{293 + \pi}{295 + \pi}\right)\right)^{\pi}}{6 \tanh^{-1}\left(\frac{1}{3}\right) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + 2 i \tanh^{-1}\left(\frac{293 + \pi}{295 + \pi}\right)\right)^{\pi}}{6 i \cot^{-1}\left(3 i\right) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi\right)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + 2 i \tanh^{-1}\left(\frac{293 + \pi}{293 + \pi}\right)\right)^{\pi}}{6 i \cot^{-1}\left(3 i\right) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi\right)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + 2 i \tan^{-1}\left(\frac{i(-293 - \pi)}{295 + \pi}\right)\right)^{\pi}}{6 i \cot^{-1}\left(3 i\right) - \sqrt{-17.2 + 56} \ e \ \pi}$ $\frac{21\left(\pi^{e} \left(5 + \log(294 + \pi\right)\right)^{\pi}\right)}{3\log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^{e} \left(5 + 2 i \tan^{-1}\left(\frac{i(-293 - \pi)}{295 + \pi}\right)\right)^{\pi}}{6 i \cot^{-1}\left(3 i\right) - \sqrt{-17.2 + 56} \ e \ \pi}$	* * * * * * * · •
	Series representations $\frac{21 \left(\pi^e \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3 \log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^e \left(5 + \log(294 + \pi)\right)^{\pi}}{3 \log(2) - \sqrt{-18.2 + 56} \ e \ \pi} \sum_{k=0}^{\infty} \left(-18.2 + 56 \ e \ \pi\right)^{-k} \left(\frac{1}{2} \atop k\right)$ $\frac{21 \left(\pi^e \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3 \log(2) - \sqrt{e} \ 56 \ \pi - 17.2} = \frac{21 \ \pi^e \left(5 + \log(294 + \pi)\right)^{\pi}}{3 \log(2) - \exp\left(i \ \pi \left\lfloor \frac{\arg(-17.2 + 56 \ e \ \pi - x)}{2 \pi} \right\rfloor\right) \sqrt{x} \ \sum_{k=0}^{\infty} \frac{(-1)^k \left(-17.2 + 56 \ e \ \pi - x\right)^k x^{-k} \left(-\frac{1}{2}\right)_k}{k!}}{\text{for } \left(x \in \mathbb{R} \ \text{and } x < 0\right)}$	*
	$ \frac{21 \left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3 \log(2) - \sqrt{e \cdot 56 \pi - 17.2}} = \left(21 \pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right) / \left(3 \log(2) - \left(\frac{1}{z_{0}}\right)^{1/2 \left[\arg(-17.2 + 56 e \pi - z_{0})/(2\pi)\right]}\right) $ $ \frac{1}{z_{0}^{1/2 \left(1 + \left[\arg(-17.2 + 56 e \pi - z_{0})/(2\pi)\right]\right)}}{\sum_{k=0}^{\infty} \frac{(-1)^{k} \left(-\frac{1}{2}\right)_{k} \left(-17.2 + 56 e \pi - z_{0}\right)^{k} z_{0}^{-k}}{k!}\right)}{k!} $	*
	$ \frac{21\left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{x}\right)}{3\log(2) - \sqrt{e} 56 \pi - 17.2} = \left(21 \pi^{e} \left(5 + 2 i \pi \left\lfloor \frac{\arg(294 + \pi - x)}{2 \pi} \right\rfloor + \log(x) - \sum_{k=1}^{\infty} \frac{(-1)^{k} (294 + \pi - x)^{k} x^{-k}}{k}\right)^{x}\right) / \left(6 i \pi \left\lfloor \frac{\arg(2 - x)}{2 \pi} \right\rfloor + 3 \log(x) - 3 \sum_{k=1}^{\infty} \frac{(-1)^{k} (2 - x)^{k} x^{-k}}{k} - \exp\left(i \pi \left\lfloor \frac{\arg(-17.2 + 56 e \pi - x)}{2 \pi}\right\rfloor\right) \sqrt{x}\right) $	*
	$\sum_{k=0}^{\infty} \frac{(-1)^k \left(-17.2 + 56 e \pi - x\right)^k x^{-k} \left(-\frac{1}{2}\right)_k}{k!} \text{for } (x \in \mathbb{R} \text{ and } x < 0)$ $\frac{21 \left(\pi^e \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3 \log(2) - \sqrt{e} \cdot 56 \pi - 17.2} = \left(21 \pi^e \left(5 + \log(z_0) + \left\lfloor \frac{\arg(294 + \pi - z_0)}{2\pi} \right\rfloor \left(\log\left(\frac{1}{z_0}\right) + \log(z_0)\right) - \sum_{k=1}^{\infty} \frac{(-1)^k \left(294 + \pi - z_0\right)^k z_0^{-k}}{k}\right)^{\pi}\right) / \left(3 \left\lfloor \frac{\arg(2 - z_0)}{2\pi} \right\rfloor \log\left(\frac{1}{z_0}\right) + 3 \log(z_0) + 3 \left\lfloor \frac{\arg(2 - z_0)}{2\pi} \right\rfloor \log(z_0) - \exp\left(i\pi \left\lfloor \frac{\arg(-17.2 + 56 e \pi - x)}{2\pi} \right\rfloor\right) \sqrt{x}$ $\sum_{k=0}^{\infty} \frac{(-1)^k \left(-17.2 + 56 e \pi - x\right)^k x^{-k} \left(-\frac{1}{2}\right)_k}{k!} - 3 \sum_{k=1}^{\infty} \frac{(-1)^k \left(2 - z_0\right)^k z_0^{-k}}{k} \right\} \text{for } (x \in \mathbb{R} \text{ and } x < 0)$	*
	$\frac{21\left(\pi^{e}\left(5 + \log(294 + \pi)\right)^{x}\right)}{3\log(2) - \sqrt{e} \cdot 56 \pi - 17.2} = \left(21 \pi^{e} \left\{5 + 2 i \pi \left -\frac{-\pi + \arg\left(\frac{294 + \pi}{z_{0}}\right) + \arg(z_{0})}{2 \pi}\right + \log(z_{0}) - \frac{\sum_{k=1}^{\infty} \frac{(-1)^{k} \left(294 + \pi - z_{0}\right)^{k} z_{0}^{-k}}{k}\right)^{\pi}}{2 \pi}\right) / \left(6 i \pi \left -\frac{\pi + \arg\left(\frac{2}{z_{0}}\right) + \arg(z_{0})}{2 \pi}\right + 3\log(z_{0}) - \exp\left[i \pi \left \frac{\arg(-17.2 + 56 e \pi - x)}{2 \pi}\right \right] \sqrt{x} \right) $ $\sum_{k=0}^{\infty} \frac{(-1)^{k} \left(-17.2 + 56 e \pi - x\right)^{k} x^{-k} \left(-\frac{1}{2}\right)_{k}}{k!} - \frac{3 \sum_{k=1}^{\infty} \frac{(-1)^{k} \left(2 - z_{0}\right)^{k} z_{0}^{-k}}{k}}{k!} \right\} \text{ for } \left(x \in \mathbb{R} \text{ and } x < 0\right)$	***
	$ \frac{21 \left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{x}\right)}{3 \log(2) - \sqrt{e} 56 \pi - 17.2} = \left[21 \pi^{e} \left(5 + 2 i \pi \left\lfloor \frac{\arg(294 + \pi - x)}{2 \pi} \right\rfloor + \log(x) - \sum_{k=1}^{\infty} \frac{(-1)^{k} (294 + \pi - x)^{k} x^{-k}}{k}\right)^{\pi}\right] / \left[6 i \pi \left\lfloor \frac{\arg(2 - x)}{2 \pi} \right\rfloor + 3 \log(x) - 3 \sum_{k=1}^{\infty} \frac{(-1)^{k} (2 - x)^{k} x^{-k}}{k} - \left(\frac{1}{z_{0}}\right)^{1/2 \left\lfloor \arg(-17.2 + 56 e \pi - z_{0})/(2 \pi)\right\rfloor} z_{0}^{1/2 + 1/2 \left\lfloor \arg(-17.2 + 56 e \pi - z_{0})/(2 \pi)\right\rfloor} $	*
	$\sum_{k=0}^{\infty} \frac{(-1)^k \left(-\frac{1}{2}\right)_k \left(-17.2 + 56 \ e \ \pi - z_0\right)^k z_0^{-k}}{k!} $	*
	$z_0^{1/2+1/2} \left[\arg(-17.2+56e\pi - z_0)/(2\pi) \right] \sum_{k=0}^{\infty} \frac{(-1)^k \left(-\frac{1}{2}\right)_k \left(-17.2+56e\pi - z_0\right)^k z_0^{-k}}{k!} \right]$	‡
	Integral representation $ \frac{21 \left(\pi^{e} \left(5 + \log(294 + \pi)\right)^{\pi}\right)}{3 \log(2) - \sqrt{e} 56 \pi - 17.2} = -\frac{42 i \pi^{1 + e} \left(5 + \frac{1}{2 i \pi} \int_{-i \infty + \gamma}^{i \infty + \gamma} \frac{(293 + \pi)^{-s} \Gamma(-s)^{2} \Gamma(1 + s)}{\Gamma(1 - s)} ds\right)^{\pi}}{-3 \int_{-i \infty + \gamma}^{i \infty + \gamma} \frac{\Gamma(-s)^{2} \Gamma(1 + s)}{\Gamma(1 - s)} ds + 2 i \pi \sqrt{-17.2 + 56 e \pi}} $ for $-1 < \gamma < 0$	‡
(4	POWERED BY THE WOLFRAM LANGUAGE Related Queries:	
	handwritten style continued fraction theorems that hold for almost all real numbers .0123456789 Apple iPods handwritten Lochs constant-related continued fraction theorems {21 pi^e (5 + log(294 + pi))^pi, 1/(3 log(2) - sqrt(e 56 pi - 17.2))} on the number line	= = = =
	Give us your feedback »	
	Have a question about using Wolfram Alpha? Contact Pro Premium Expert Support »	
	Pro Mobile Apps Products Business API LLM About Contact	